Details of Financial supplies- printed paper tape

Our PE coated Kraft paper tape, the width, Inner Diameter and length can be customized. The outer layer of paper tape is Kraft paper, and the inner layer is coated with PE, kind of like wax. As a matter of fact, the wax is natural glue. With hot temperature heat, the tape will be joined.



Our Kraft paper has three different type, 80gsm, 70gsm, and 65gsm, then coated with 25gsm PE to finish the production. Our paper factory was located in Anqing city Anhui Province in China, we sincerely welcome our partners to have a visit.







Product Advantages

- 1. Anti-curl, Anti-static. Customized size on your request.
- 2. Suitable for Currency binders and Binding & Packaging Machine.
- 3. Hot heat to seal, with high temperature 160-230 centigrade; or low temperature 90-130 centigrade
- 4. Solid packaging with inner boxes and outer carton. Special packing requirements are acceptable as well.
- 5. OEM mass production is OK, **FREE SAMPLES** can be sent on request.
- 6. Factory direct sale with **Competitive price**
- 7. Printing logo & brand on the paper tape are available at your request
- 8. Inner reel could be in plastic or paperboard.

Common Bundling Machine

Akebono	Detian	
COM	XUTIAN	
Uchida	Kaixun	
Taipak	Mabas SBM	
ATS	De La Rue	
Dallipack	BUSCH	
Giesecke & Devrient	Musashi	
Glory	Cummins Allison	
YUIL	Accubanker	
Dors 500	Sollas Bandum	

Our tapes mainly used in bundling and packaging small articles. Especially for bank use and binding machine with banknotes, small gift boxes, labels, cards, envelopes and so on. Our binding machine can be consumable as well and we have various binding machine, pls feel free to contact us. We'll be pleased at your service!



Packaging Mode

1512 rolls as one pallet. Min. order 560 rolls.

FOB TO Shanghai port or CIF TO any port

Width	length	Inner Dia	Packing Details	Size/carton(c m)	Weight/cart on
20mm		40/50mm	80 rolls	34*34*44	20kg
		76mm	per carton	37*37*45	22kg
25mm		40/50mm	40rolls per carton	34*34*44	24kg
		76mm		37*37*45	25kg
	150m(std) can be customized				
30mm		40/50mm	56 rolls per carton	34*34*44	23kg
		76mm		37*37*45	24kg
40mm		40/50mm	40 rolls per carton	34*34*44	24kg
		76mm		37*37*45	24kg
50mm		40/50mm			24kg
		76mm		37*37*45	24kg
Above is f	he reference info	ormation of ou	r product also s	eee vour require	nents

Above is the reference information of our product, also see your requirements